



200 KVA STANDBY OPEN SET VOLVO



TECHNICAL INFORMATION

Voltage (V):	400/230
Frequency (Hz):	50
PRP Power (kVA)	180
Standby Power (kVA)	202.4
PRP Power (kW)	144
Standby Power (kW)	161.92

Weight and Dimensions (mm)

Length (L)	3020
Width (W)	1150
Height (H)	2060
Weight (kg)	2151
Fuel tank capacity (l)	415

Consumption

	PRP Power	
	L/h	Range (hours)
25%	13.1	31.7
50%	21.3	19.5
75%	31	13.4
100%	41.3	10

	Standby Power	
	L/h	Range (hours)
25%	12.6	32.9
50%	23.1	18
75%	34.2	12.1
100%	46.1	9

ENGINE

Brand	VOLVO
Model	TAD 732 GE
Electronic Management	YES
No. of cylinders	6
Engine Capacity (c.c)	7150
Bore (mm)	108
Stroke (mm)	130
Compression ratio	18:1
Water cooled	YES
Speed (R.P.M)	1500
Mechanical Net Power (kWm)	176
Fuel tank capacity (l)	415

Cooling System

Flow of air from fan (m3/min)	234
-------------------------------	-----

Lubrication System

Oil sump capacity (l)	34
Maximum oil consumption (% fuel consumption)	0.09

Air intake system

Aspirated air flow (m3/min)	12.4
-----------------------------	------

Electrical System

Number of batteries	2
Battery	12V 44Ah-730A

Exhaust System

Input diameter (")	4
Output diameter (")	4
Body diameter (mm)	198
Exhaust length (mm)	740
T ^a gas emission (°C)	542
Gas flow (m3/min)	35.1

ALTERNATOR

Model	LSA 46.2 M3
Electronic Regulation	YES
AVR	R 250
Power (kVA)	203

ELECTRIC PANEL

Protection Devices	YES
Control Card	DEEP SEA 7320